product overview

- bottle safer -

ReTec Wandlitz GmbH
Thälmannstr. 118

16348 Wandlitz

Telefon: +49 (0)33397-280963
Telefax: +49 (0)33397-280965

E-Mail: info@tagging24.com

Plastic belt No.B001

Frequency: 8.2MHz/58KHz, 8.2MHz+58KHz
Dimension: 48mmX 42mm
Color: Black/Gray/White or Customized
Lock: Standard/Super
Packing: 52X 35.5X 15cm, 250pcs/ctn,
5.6kgs/ctn(8.2MHz), 6.15kgs/ctn(58KHz)

Patent pending No. ZL 02339187.1

Steel belt No.B002

Frequency: 8.2MHz/1.95MHz/3.25MHz/4.75MHz
Dimension: đ 56mmX 34mm
Color: Gray/White or Customized
Lock: Standard/Super
Packing: 58.5X 39X 17.5cm, 250pcs/ctn, 6.9kgs/ctn

No.B004

Frequency: 8.2MHz/58KHz/8.2MHz+58KHz
Dimension: đ 50mmX 33mm
Color: Gray/White or Customized
Lock: Standard/Super
Packing: 58.5X 39X 15cm, 250pcs/ctn,
6.45kgs/ctn(8.2MHz), 6.9kgs/ctn(58KHz)

No.B005

Frequency: 8.2MHz/58KHz
Dimension: 36mmX 30mmX 34mm
Color: Gray/White or Customized
Lock: Standard/Super
Packing: 58.5X 39X 15cm, 500pcs/ctn,
11.1kgs/ctn(8.2MHz), 10.6kgs/ctn(58KHz)

Patent pending No. ZL 02260333.6

No.B006

Frequency: 8.2MHz/58KHz
Dimension: đ 50mmX 33mm
Color: Gray/White or Customized
Lock: Standard/Super
Packing: 38X 31X 19.5cm, 250pcs/ctn,
6.0kgs/ctn(8.2MHz), 6.5kgs/ctn(58KHz)

No.B007

Frequency: 8.2MHz/58KHz
Dimension: 36mmX 30mmX 32mm
Color: Gray/White or Customized
Lock: Standard/Super
Packing: 39X 29X 17.5cm, 250pcs/ctn, 6.1kgs/ctn

Top bottle No.B008
Frequency: 8.2MHz/58KHz
Dimension: 71mmX52mmX85mm
Color: Gray/Black or Customized
Lock: Standard/Super
Packing: 58.5X39X25cm, 200pcs/ctn, 10.7kgs/ctn

Patent pending No. ZL 200520007551.7

Top bottle No.B008B
Frequency: 8.2MHz/58KHz
Dimension: 76mmX 58mmX 90mm
Color: Gray/Black or Customized
Lock: Standard/Super
Packing: 58.5X 39X 25cm, 100pcs/ctn, 5.9kgs/ctn

Patent pending No. ZL 200520007551.7

Top bottle No.B012
Frequency: 8.2MHz
Dimension: 48mmX 42mmX 33.5mm
Color: Gray/Black or Customized
Lock: Standard/Super
Packing: 38X31X19.5cm, 250pcs/ctn, 6.0kgs/ctn

No.B013A
Frequency: 8.2MHz/58KHz
Dimension: 60mmX 56mmX 52.5mm
Color: White/Black or Customized
Lock: Standard/Super
Packing: 48X31X21cm, 200pcs/ctn, 5.9kgs/ctn

No.B013
Frequency: 8.2MHz/58KHz
Dimension: 32mmX52.5mmX45.5mm
Color: White/Black or Customized
Lock: Standard/Super
Packing: 35X 28X 19cm, 250pcs/ctn,
5.36kgs/ctn(8.2MHz), 5.1kgs/ctn(58KHz)

Easicap Small Straight NO.B009
Frequency: 58KHz/8.2MHz/66KHz
Dimension: đ34.5mmX65mm
Color: Grey, Beige, Black or customized
Lock: Standard/Super
Packing: 58.5X39X25cm;200pcs/ctn,9.69kgs/ctn

Easicap Big Straight NO.B009/B
Frequency: 58 KHz/8.2 MHz/66KHz
Dimension: đ40.5mmX75mm
Color: Grey, Beige, Black or customized
Lock: Standard/Super
Packing:58.5X39X34cm; 200pcs/ctn,11.85kgs/ctn

Easicap Small Flared NO.B009/F
Frequency: 58KHz/8.2MHz/66KHz
Dimension: đ34.5mmX60mm
Color: Grey, Beige, Black or customized
Lock: Standard/Super
Packing: 58.5X39X25cm; 200pcs/ctn, 9.2kgs/ctn

Z-cap No.B014
Frequency: 8.2MHz+58KHz
Dimension: đ68mmX55mm
Color: White/Black or Customized
Lock: Standard/Super
Packing: 58.5X39X19cm, 200pcs/ctn, 9.68kgs/ctn

Patent pending No. ZL 200920120155.3

NO.B018-2(2teeth, no dot, SLS)
CE CODE：1325-4114(RF), 1325-4214(AM)
Frequency: 8.2MHz/58KHz
Dimension: đ46mmX 75mm
Color: Transparent
Packing: 28X 28X 36cm;100pcs/ctn,6.56kgs/ctn

NO.B018-4(4teeth,grey dot, SLS)
CE CODE：1325-2013(RF), 1325-2113(AM)
Frequency: 8.2MHz/58KHz
Dimension: đ46mmX 75mm
Color: Transparent
Packing: 28X 28X 36cm;100pcs/ctn,6.56kgs/ctn

NO.B019-2(2teeth, grey lock, no dot, DLS)
CE CODE：1325-3114

NO.B019-4(4teeth, grey lock, grey dot, DLS)
CE CODE：1325-1713
Frequency: 8.2MHz+58KHz
Dimension: đ46mmX 75mm
Color: Transparent
Packing: 28X 28X 36cm;100pcs/ctn,7kgs/ctn

NO.B022 Bubble Gum Tag
Frequency: 8.2MHz/58KHz
External Dimension(mm): 75X 58X 87mm
Internal Dimension(mm): đ53X81mm
Color: Transparent
Detacher: D100/D200S
Packing: 61X 30.5X 19cm;100pcs/ctn,5kgs/ctn

NO.B023 EASEWRAP
CE CODE：7027-0109(15 RF),7027-0209(15 AM), 7027-0309(30 RF), 7027-0409(30 AM)
Dimension: đ 330x36x20(30),180x36x20 (15)
Color: Black

safety first

ReTec